

Amendment to the Claims:

The following listing of claims replaces all prior versions and listings of the claims in this application:

Listing of Claims:

1. (Currently Amended) An applicator, ~~for distributing a substance onto a target surface, said applicator~~ comprising:
 - (a) a ~~first-side~~ front panel having a ~~first-internal~~ front inner surface and a ~~first external~~ front outer surface;
 - (b) a ~~second-side~~ back panel having a ~~second-internal~~ back inner surface and a ~~second-external~~ back outer surface; and
 - (c) a flexible film dosing reservoir comprising a resealable channel in fluid communication with said reservoir, said reservoir containing a substance for distributing onto a target surface and having a predetermined weak region, said reservoir being disposed between said ~~first-external~~ front outer surface of said ~~first-side~~ front panel and said ~~second-internal~~ back inner surface of said ~~second-side~~ back panel, said substance being releasable from said reservoir through said resealable channel and through said ~~first-side~~ front panel to a target surface by an application of pressure to said reservoir.
2. (Currently Amended) The applicator of claim 1, wherein a first substantially fluid-impervious barrier ~~lay~~ layer is located between said reservoir and said ~~second-internal~~ back inner surface of said ~~second-side~~ back panel.

3. (Previously Presented) The applicator of claim 1, wherein said applicator is selected from the group consisting of gloves, mitts, pads, and wipes.

4. (Original) The applicator of claim 1, wherein said flexible film dosing reservoir is rupturable.

5. (Previously Presented) The applicator of claim 4, wherein said flexible film dosing reservoir is rendered rupturable by a frangible seal.

6. (Previously Presented) The applicator of claim 5, wherein said flexible film dosing reservoir is foldable proximate to said frangible seal.

7-9. (Cancelled).

10. (Currently Amended) The applicator of claim 1, wherein said flexible film dosing reservoir further comprises a distribution head in fluid communication with said resealable channel through which said substance is released from said reservoir to said ~~first~~ side front panel.

11. (Previously Presented) The applicator of claim 1, wherein said flexible film dosing reservoir further comprises a plurality of compartments, each of said compartments containing a substance for distributing on a target surface, said plurality of compartments being adapted to provide at least one function, wherein said function is selected from the group consisting of mixing, multiple dispensing, and sequential dispensing.

12. (Original) The applicator of claim 5, wherein said frangible seal has at least one stress concentrator.

13. (Currently Amended) The applicator of claim 2, further comprising a second substantially fluid-impervious barrier layer disposed between said first substantially fluid-impervious barrier layer and said ~~second internal~~ back inner surface.

14. (Previously Presented) The applicator of claim 13, further comprising a second flexible film dosing reservoir containing a second substance for distributing on a target surface.

15. (Previously Presented) The applicator of claim 1, wherein said flexible film dosing reservoir comprises a material capable of varying seal strengths.

16. (Currently Amended) The applicator of claim 1, wherein said ~~first side~~ front panel is a substantially non-absorbent material.

17. (Currently Amended) The applicator of claim 1 wherein said ~~second side~~ back panel is a substantially absorbent material.

18. (Currently Amended) The applicator of claim 1, further comprising a friction enhancing element located on at least one of said ~~first~~ front panel and ~~second~~ back ~~sides~~ panel.

19. (Currently Amended) The applicator of claim 1, wherein ~~said~~ at least one of said ~~first front panel~~ and ~~second back sides panel~~ is textured.

20. (Original) The applicator of claim 1, wherein said flexible film dosing reservoir is located to avoid inadvertent dispensing.

21. (Cancelled)

22. (Original) The applicator of claim 1, further comprising a temperature-changing element.

23. (Currently Amended) The applicator of claim 1, wherein at least one of said ~~first front panel~~ and ~~second back sides panel~~ comprises one or more removable layers.

24. (Cancelled).

25. (Currently Amended) An applicator, ~~for distributing a substance onto a target surface, said applicator~~ comprising:

(a) a ~~first-side~~ front panel having a ~~first-internal~~ front inner surface and a ~~first external front outer~~ surface;

(b) a ~~second-side~~ back panel having a ~~second-internal~~ back inner surface and a ~~second-external~~ back outer surface;

(c) a rupturable laminate film reservoir comprising a resealable channel in fluid communication with said reservoir, said reservoir containing a substance for distributing onto a target surface, said reservoir being disposed between said ~~first-external~~ front outer surface of said ~~first-side~~ front panel and said ~~second~~

~~internal~~ back inner surface of said ~~second-side~~ back panel, said substance being releasable from said reservoir through said resealable channel through said ~~first-side~~ front panel to a target surface via an application of pressure to said reservoir; and

- (d) a flow restriction layer disposed between said reservoir and said ~~first-external~~ front outer surface.

26. (Previously Presented) The applicator of claim 25, wherein said reservoir is a flexible film reservoir.

27. (Previously Presented) The applicator of claim 25, wherein said applicator is selected from the group consisting of a glove, a mitt, a pad and a wipe.

28. (Currently Amended) The applicator of claim 25, said applicator further comprising a substantially fluid-impervious barrier layer disposed between said rupturable reservoir and said ~~second-internal~~ back inner surface.

29. (Currently Amended) An applicator, ~~for distributing a substance onto a target surface, said applicator~~ comprising:

- (a) a ~~first-side~~ front panel having a ~~first-internal~~ front inner surface and a ~~first external~~ front outer surface;
- (b) a ~~second-side~~ back panel having a ~~second-internal~~ back inner surface and a ~~second-external~~ back outer surface; and
- (c) a flexible film dosing reservoir comprising at least one frangible seal and a distribution channel disposed proximate said seal, said reservoir containing a

substance for distributing onto a target surface; said reservoir being disposed adjacent to said ~~first-side~~ front panel, said substance being sequentially releasable through said seal and through said distribution channel to said ~~first side~~ front panel via multiple applications of pressure to said reservoir.

30. (Currently Amended) An applicator, ~~for distributing a substance onto a target surface, said applicator~~ comprising:

- (a) a ~~first-side~~ front panel having a ~~first-internal~~ front inner surface and a ~~first external~~ front outer surface;
- (b) a ~~second-side~~ back panel having a ~~second-internal~~ back inner surface and a ~~second-external~~ back outer surface; and
- (c) a reservoir containing a substance for distributing onto a target surface, said reservoir being disposed adjacent to said ~~first-side~~ front panel and having at least one weak region having a comparatively low burst force and a distribution channel on said reservoir, said substance being sequentially releasable to said ~~first-side~~ front panel through said channel via multiple applications of pressure to said reservoir; and,
- (d) a flow restriction layer disposed between said reservoir and said ~~first-side~~ front panel.